



ADN

ADN-W L 10

FEATURES

- Simultaneously charges up to 10 ADN-W BA battery packs
- Charging time of approx. 4 hours
- Status display with 10 LEDs for monitoring the overall charging process
- Test button for checking the charge status of an individual battery pack
- Can be mounted in a 19" rack
- Country-specific mains cable included



The ADN-W L 10 charger simultaneously charges up to 10 ADN-W BA battery packs.

The charging time for full charge is approximately 4 hours. A status display with 10 LEDs allows to monitor the overall charging process. The battery charge status of an individual battery pack can be checked by pressing the test button. The charger can be mounted in a 19" rack.

ARCHITECT'S SPECIFICATION

The charger shall be capable of simultaneously charging up to ten ADN-W BA Lithium-Ion battery packs. The charger shall feature a status display with 10 LEDs (one assigned to each charging compartment) for monitoring the overall charging process and a test button for checking the charge status of an individual battery pack. The charger shall be housed in a stand-alone desktop housing; 19" rack-mounting of the charger shall be possible. The charger shall operate on 100 to 240 V~ at 50 to 60 Hz. Power consumption shall be maximum 250 W. Charging voltage shall be 12 V^{DC}, charging current shall be 1.6 A per charging compartment. The charging time for full charge shall be approximately 4 hours.

Dimensions shall be 483 x 138 x 310 mm (19" x 5.19" x 1.97"). Weight (unequipped) shall be approximately 6.8 kg (14.99 lbs). The operating temperature shall range from +5 °C to +45 °C (+41 °F to +113 °F) and the operating relative humidity shall be from 20 to 95 percent.

The charger shall be the Sennheiser ADN-W L 10.

SPECIFICATIONS

Nominal input voltage	100 to 240 V~
Mains frequency	50 to 60 Hz
Power consumption	max. 250 W
Charging voltage	12 V ^{DC}
Charging current	10 x 1.6 A
Charging time	approx. 4 h
Dimensions (W x H x D), can be mounted in a 19" rack (7 U)	483 x 138 x 310 mm (19" 5.19" x 1.97")
Weight	approx. 6.8 kg (14.99 lbs)
Operating temperature range	+5 °C to +45 °C (+41 °F to +113 °F)
Operating relative humidity	20 to 95 %

DELIVERY INCLUDES

- ADN-W L 10 charger
- Mains cable
- Quick Guide
- Safety Guide

PRODUCT VARIANTS

ADN-W L 10-EU

Art. no. 505719

ADN-W L 10-UK

Art. no. 505720

ADN-W L 10-US

Art. no. 505721



ADN

ADN-W L 10

DIMENSIONS

